

Some Properties of Fuzzy Chordal Graphs

Fahmida P Palasseri, Shajitha A*

Centre for Research in Higher Mathematics, M.E.S Kalladi
College, Mannarkkad-678583, India.

*Corresponding Author: shajitha@meskc.ac.in,
mob no: 8156800695

Abstract

This paper explores properties of fuzzy chordal graphs as initially defined by John N. Moder-son and Premchand S. Nair. We examine these graphs in comparison to chordal graphs within crisp graph theory and fuzzy chordal graphs, providing illustrative counter examples where appropriate.

Keywords: Fuzzy graph, fuzzy chordal graph, eccentricity

1 Introduction

Graphs are a widely used tool for modeling relationships, where vertices represent objects and edges denote connections between them. When ambiguity exists in defining these objects or their interconnections, a fuzzy graph model becomes useful. The concept of fuzzy subsets, introduced by L.A. Zadeh [1] in 1965, provided a foundation for managing uncertainty. Later, Rosenfeld [5] formalized the fuzzy graph model in 1975, allowing Yeh and Bang [6] to explore various connectivity concepts in fuzzy graphs, such as vertex and edge connectivity, and to apply these models in data clustering. Influential figures like Bhutani, Moderson, Vijayakumar, Sunitha, and Sunil Mathew further advanced fuzzy graph connectivity concepts following Zadeh and Rosenfeld's pioneering work.

In crisp graph theory, chordal graphs hold significance due to their treelike structure composed of complete graphs, which enables some NP-hard problems to be solved in polynomial time. A chordal

graph is characterized as a simple graph where every cycle longer than three has an additional edge, or "chord," connecting two non-consecutive vertices within the cycle.[2]

2 Preliminaries

2.1 Definition

[9, 8] Let $G(V, E)$ be a graph with the pair of mappings $\sigma : V \rightarrow [0, 1]$ and $\mu : E \rightarrow [0, 1]$ such that the condition $\mu(x, y) \leq \sigma(x) \wedge \sigma(y)$ for all $(x, y) \in E \subseteq V \times V$, then $G(V, E, \mu, \sigma)$ is called a **fuzzy graph**.

2.2 Definition

[7, 8, 9] A **Path** P of length n is a sequence of distinct nodes $x_0, x_1, x_2, \dots, x_n$ such that $\mu(x_{i-1}, x_i) > 0$, for $i = 1, 2, \dots, n$ and the degree of membership of the weakest arc is defined as its strength. If $x_0 = x_n$ and $n \geq 3$ then P is called a cycle

2.3 Definition

[7, 8, 9, 4] The strength of connectedness between two nodes u and v is defined as the maximum of strengths of all paths between u and v and is denoted by $\text{CONN-G}(u, v)$.

2.4 Definition

[9] A chord (u, v) in a cycle of length greater than 3 of a fuzzy graph $G(V, E, \mu, \sigma)$ is said to be a **fuzzy strong chord** if $\mu(u, v) = S(u, v)$, where $S(u, v)$ is the strength of connectedness between the vertices u and v . A graph has fuzzy strong chord then it is fuzzy chordal graph


3. Properties of Fuzzy Chordal Graphs

Theorem

[3, 9, 10] Every complete fuzzy graph is fuzzy chordal

Example


Let G be a complete fuzzy graph (see figure) with four vertices a, b, c, d and (a, c) and (b, d) are fs-chord. so G is fuzzy chordal



Remark

The converse of above need not true. There exist fuzzy chordal graph which is not complete fuzzy graph

Example



Here this graph fuzzy chordal but not complete fuzzy graph. its membership value not exactly minimum of membership values of vertices. .

Theorem [3]

If G is chordal and connected, then


$$\frac{1}{2}d(G) \leq r(G) \leq \left\lceil \frac{1}{2}d(G) \right\rceil + 1.$$

Proposition

If G is fuzzychordal and connected. Then

$$\frac{1}{2}d(G) \leq r(G) \leq \left\lceil \frac{1}{2}d(G) \right\rceil + 1.$$

Example



$$d_f(a, b) = 0.4 \quad d_f(c, b) = 0.4$$

$$d_f(d, b) = 0.4$$

$$d_f(d, c) = 0.2$$

$$d_f(a, d) = 0.3$$

$$d_f(a, c) = 0.4$$

eccentricity

$$e(a) = 0.4$$

$$e(b) = 0.4$$

$$e(c) = 0.4$$

$$e(d) = 0.4$$

$$d(G) = 0.4$$

$$r(G) = 0.4$$

so

$$\frac{1}{2}d(G) + 1 = 1.2$$

The inequality satisfied

4. Conclusion

In conclusion, this paper has presented an in-depth exploration of fuzzy chordal graphs, distinguishing them from crisp chordal graphs by examining their unique properties and connectivity structures. Through theoretical analysis and illustrative examples, we demonstrated that while every complete fuzzy graph is fuzzy chordal, the converse does not necessarily hold, underscoring the nuances in the relationship between completeness and chordality in fuzzy graph theory. The study of fuzzy strong chords, connectivity strengths, and the specific conditions required for a graph to be fuzzy chordal highlight the adaptability of these graphs in capturing relationships marked by uncertainty. Applications of fuzzy chordal graphs are particularly relevant in fields where ambiguous connections arise, such as data clustering, network analysis, and fields requiring flexible yet structured graph representations. These findings contribute to a deeper understanding of fuzzy graph theory and lay the ground-work for future research to further explore complex fuzzy graph structures and potential practical implementations. Future studies could investigate extensions of fuzzy chordal graph properties and their real-world applications, potentially enhancing methodologies for managing uncertainty in complex systems.

References

1. L.A. Zadeh. Fuzzy Sets, *Information and Control*, 8 (1965), 338–353.
2. J.A. Bondy, U.S.R. Murty, *Graph Theory*, Graduate text in Mathematics series, Springer, 2017.

3. Renu Laskar and Douglas Shier, On powers and centers of chordal graphs, *Discrete Applied Mathematics*, 6(2) (1983), 139–147.
4. John N Mordeson and Premchand S Nair, *Fuzzy graphs and fuzzy hypergraphs*, *Physica*, 16 (2012), 12–19.
5. Azriel Rosenfeld, Fuzzy graphs, In: L.A. Zadeh, K.S. Fu, M. Shimura, Eds, *Fuzzy Sets and their Applications*, Academic Press, (1975), 77–95.
6. Yeh R.T., Bang S.Y., Fuzzy relations, fuzzy graphs, and their application to clustering analysis, In: L.A. Zadeh, K.S. Fu, M. Shimura, Eds, *Fuzzy Sets and their Applications*, Academic Press, (1975), 125–149.
7. A. Nagoorgani, V.T. Chandrashekar, *A First Look at Fuzzy Graph Theory*, Allied Publishers, Chennai, India, 2010.
8. M.S Sunitha and Sunil Mthew, Fuzzy Graph Theory :A Survey, *Annals of pure and applied mathematics* 4(1)(2013), 92-110
9. Das, Kousik and Samanta, Sovan and De, Kajal: *Fuzzy chordal graphs and its properties*, 7(2) Springer publisher, 2021
10. Shaitha.A and sameena kalathodi *A Study on fuzzy chordal graph* malaya jornal of matematic 505-507, 2019